

HYDRO EXTRACTOR MACHINE





FEATURES :

- 1) The inner basket and out cylinder is make of stainless Steel which is anti –corrosion , sturdy , durable and slipper, for protecting the cloths from damage during the operation.
- 2) Self balancing operation design uses the high centrifugal force to draw out the suds, dirt and moisture after washing .
- 3) installed simply with three legs bolts, the machines can keep working safely and quietly with a long life.
- 4) Our machine extracts up to 90% water from the laundry dryer in each load , it shortens time and make more profit effect, it shorten more time and dryer more garments.
- 5) It will be safely operate for three feet holder.
- 6) Three –point suspended design let it have good elastic and avoid vibrating..
- 7) It may be stopped moving at any time for good brake.
- 8) Applicable to washing & bleaching industry , textile industry, chemical industry, oil industry and so on .
- 9) Other voltage is available for selection

For Optional

- 1) Touch screen PLC System
- 2) Pneumatic Drain
- 3) Pneumatic/Jack Brake System
- 4) INVT Invertor
- 5) Top Lid
- 6) Pneumatic top Lid

INDUSTRIAL HYDRO EXTRACTOR MACHINE SPECIFICATION

Capacity Will be As Per Your Requirement

- **Drum Size dia as Per Capacity**
- **Capacity As per your Requirements.**
- Drum sheets 2.5mm, outer body sheet 2.5mm SS304L
- Drum Drive 1400RPM motor (original looted) **as Per Capacity**
- Manual leather brake system
- Drum Base $\frac{3}{4}$ " MS plate with lining 2mm SS 304L
- Structure base plate $\frac{3}{4}$ "
- MS mounting casting leg & MS channel 6" for base structure
- MS drain pipe 3"